

Kontaktlinsenbedingtes Trockenes Auge: Gründe und Auswirkungen

Prof Dr Daniela S Nosch, Institut für Optometrie, FHNW, Schweiz

LITERATURQUELLEN

1. Pritchard N, Fonn D, Brazeau D. Discontinuation of contact lens wear: a survey. *International Contact Lens Clinic* 1999;26:157–62.
2. Cavanagh HD, Robertson DM, Petroll WM, Jester JV. Castroviejo Lecture 2009: 40 years in search of the perfect contact lens. *Cornea* 2010;29:1075–85.
3. Nichols JJ, Sinnott LT. Tear film, contact lens, and patient-related factors associated with contact lens–related dry eye. *Invest Ophthalmol Vis Sci* 2006;47:1319.
4. Morgan PB, Efron N. Global contact lens prescribing 2000-2020. *Clinical and Experimental Optometry* 2022;105:298–312.
5. Carracedo G, Martin-Gil A, Peixoto-de-Matos SC, Abejón-Gil P, Macedo-de-Araújo R, González-Méijome JM. Symptoms and signs in rigid gas permeable lens wearers during adaptation period. *Eye & Contact Lens: Science & Clinical Practice* 2016;42:108–14.
6. Ortiz-Toquero S, Martin M, Rodriguez G, de Juan V, Martin R. Success of rigid gas permeable contact lens fitting. *Eye & Contact Lens: Science & Clinical Practice* 2017;43:168–73.
7. Nichols JJ, King-Smith PE. Thickness of the pre- and post–contact lens tear film measured In vivo by interferometry. *Invest Ophthalmol Vis Sci* 2003;44:68.
8. Chen Q, Wang J, Tao A, Shen M, Jiao S, Lu F. Ultrahigh-resolution measurement by optical coherence tomography of dynamic tear film changes on contact lenses. *Invest Ophthalmol Vis Sci* 2010;51:1988.
9. Young G, Efron N. Characteristics of the pre-lens tear film during hydrogel contact lens wear. *Oph Phys Optics* 1991;11:53–8.
10. Craig JP, Willcox MDP, Argüeso P, Maissa C, Stahl U, Tomlinson A, Wang J, Yokoi N, Stapleton F. The TFOS International Workshop on Contact Lens Discomfort: Report of the contact lens interactions with the Tear Film Subcommittee. *Invest Ophthalmol Vis Sci* 2013;54:TFOS123.
11. Guillon M, Maissa C. Contact lens wear affects tear film evaporation. *Eye & Contact Lens: Science & Clinical Practice* 2008;34:326–30.
12. McMonnies CW. Conjunctival tear layer temperature, evaporation, hyperosmolarity, inflammation, hyperemia, tissue damage, and symptoms: A review of an amplifying cascade. *Current Eye Research* 2017;42:1574–84.
13. McMonnies CW. An amplifying cascade of contact lens-related end-of-day hyperaemia and dryness symptoms. *Current Eye Research* 2018;43:839–47.
14. Alzahrani Y, Colorado LH, Pritchard N, Efron N. Longitudinal changes in Langerhans cell density of the cornea and conjunctiva in contact lens-induced dry eye. *Clinical and Experimental Optometry* 2017;100:33–40.
15. Craig JP, Nelson JD, Azar DT, Belmonte C, Bron AJ, Chauhan SK, de Paiva CS, Gomes JAP, Hammitt KM, Jones L, Nichols JJ, Nichols KK, Novack GD, Stapleton FJ, Willcox MDP,

Wolffsohn JS, Sullivan DA. TFOS DEWS II Report Executive Summary. *The Ocular Surface* 2017;15:802–12.

16. Dumbleton K, Caffery B, Dogru M, Hickson-Curran S, Kern J, Kojima T, Morgan PB, Purslow C, Robertson DM, Nelson JD. The TFOS International Workshop on Contact Lens Discomfort: Report of the Subcommittee on Epidemiology. *Invest Ophthalmol Vis Sci* 2013;54:TFOS20.
17. Nichols KK, Nichols JJ, Mph M, Mitchell GL. The lack of association between signs and symptoms in patients with dry eye disease: *Cornea* 2004;23:762–70.
18. Nichols KK, Redfern RL, Jacob JT, Nelson JD, Fonn D, Forstot SL, Huang J-F, Holden BA, Nichols JJ. The TFOS International Workshop on Contact Lens Discomfort: Report of the Definition and Classification Subcommittee. *Invest Ophthalmol Vis Sci* 2013;54:TFOS14.
19. Kim SH, Marmo C, Somorjai GA. Friction studies of hydrogel contact lenses using AFM: non-crosslinked polymers of low friction at the surface. *Biomaterials* 2001;22:3285–94.
20. Rennie AC, Dickrell PL, Sawyer WG. Friction coefficient of soft contact lenses: measurements and modeling. *Tribology Letters* 2005;18:499–504.
21. Ramamoorthy P, Sinnott LT, Nichols JJ. Contact lens material characteristics associated with hydrogel lens dehydration. *Ophthalmic and Physiological Optics* 2010;30:160–6.
22. Tranoudis I, Efron N. Parameter stability of soft contact lenses made from different materials. *Contact Lens and Anterior Eye* 2004;27:115–31.
23. Morgan PB, Efron N. In vivo dehydration of silicone hydrogel contact lenses: *Eye & Contact Lens: Science & Clinical Practice* 2003;29:173–6.
24. Jones L, Brennan NA, González-Méijome J, Lally J, Maldonado-Codina C, Schmidt TA, Subbaraman L, Young G, Nichols JJ. The TFOS International Workshop on Contact Lens Discomfort: Report of the Contact Lens Materials, Design, and Care Subcommittee. *Invest Ophthalmol Vis Sci* 2013;54:TFOS37.
25. Carney FP, Nash WL, Sentell KB. The adsorption of major tear film lipids In vitro to various silicone hydrogels over time. *Investigative Ophthalmology & Visual Science* 2008;49:120–4.
26. Boone A, Heynen M, Joyce E, Varikooty J, Jones L. Ex vivo protein deposition on bi-weekly silicone hydrogel contact lenses. *Optometry and Vision Science* 2009;86.
27. Nichols JJ. Deposition on silicone hydrogel lenses: *Eye & Contact Lens: Science & Clinical Practice* 2013;39:19–22.
28. Pucker AD, Thangavelu M, Nichols JJ. Enzymatic quantification of cholesterol and cholesterol esters from silicone hydrogel contact lenses. *Investigative Ophthalmology & Visual Science* 2010;51:2949–54.
29. Saville JT, Zhao Z, Willcox MDP, Blanksby SJ, Mitchell TW. Detection and quantification of tear phospholipids and cholesterol in contact lens deposits: The effect of contact lens material and lens care solution. *Invest Ophthalmol Vis Sci* 2010;51:2843.
30. Zhao Z, Naduvilath T, Flanagan JL, Carnt NA, Wei X, Diec J, Evans V, Willcox MDP. Contact lens deposits, adverse responses, and clinical ocular surface parameters. *Optometry and Vision Science* 2010;87.

31. Weed F, Fonn D, Potvin R. Discontinuation of contact lens wear. *Optom Vis Sci* 70(Suppl):140.
32. Jordan A, Baum J. Basic tear flow. Does it exist? *Ophthalmology* 1980;87:920–30.
33. Tsubota K. Tear dynamics and dry eye. *Progress in Retinal and Eye Research* 1998;17:565–96.
34. Vidal-Rohr M, Wolffsohn JS, Davies LN, Cerviño A. Effect of contact lens surface properties on comfort, tear stability and ocular physiology. *Contact Lens and Anterior Eye* 2018;41:117–21.
35. Mengher LS, Bron AJ, Tonge SR, Gilbert DJ. Effect of fluorescein instillation on the pre-corneal tear film stability. *Current Eye Research* 1985;4:9–12.
36. Mooi JK, Wang MTM, Lim J, Müller A, Craig JP. Minimising instilled volume reduces the impact of fluorescein on clinical measurements of tear film stability. *Contact Lens and Anterior Eye* 2017;40:170–4.
37. Sweeney DF, Millar TJ, Raju SR. Tear film stability: A review. *Experimental Eye Research* 2013;117:28–38.
38. Graham AD, Lin MC. The relationship of pre-corneal to pre-contact lens non-invasive tear breakup time. Golebiowski B, ed. *PLoS ONE* 2021;16:e0247877.
39. Guillon M, Dumbleton KA, Theodoratos P, Wong S, Patel K, Banks G, Patel T. Association between contact lens discomfort and pre-lens tear film kinetics: *Optometry and Vision Science* 2016;93:881–91.
40. Ousler GW, Hagberg KW, Schindelar M, Welch D, Abelson MB. The Ocular Protection Index: *Cornea* 2008;27:509–13.
41. Fonn D. Targeting contact lens induced dryness and discomfort: What properties will make lenses more comfortable. *Optometry and Vision Science* 2007;84:279–85.
42. Rohit A, Willcox M, Stapleton F. Tear lipid layer and contact lens comfort: A review. *Eye & Contact Lens: Science & Clinical Practice* 2013;39:247–53.
43. Willcox M, Keir N, Maseedupally V, Masoudi S, McDermott A, Mobeen R, Purslow C, Santodomingo-Rubido J, Tavazzi S, Zeri F, Jones L. CLEAR - Contact lens wettability, cleaning, disinfection and interactions with tears. *Contact Lens and Anterior Eye* 2021;44:157–91.
44. Fahmy M, Long B, Giles T, Wang C-H. Comfort-enhanced daily disposable contact lens reduces symptoms among weekly/monthly wear patients: *Eye & Contact Lens: Science & Clinical Practice* 2010;36:215–9.
45. Colorado LH, Alzahrani Y, Pritchard N, Efron N. Time course of changes in goblet cell density in symptomatic and asymptomatic contact lens wearers. *Invest Ophthalmol Vis Sci* 2016;57:2888.
46. Uchino Y, Uchino M, Yokoi N, Dogru M, Kawashima M, Okada N, Inaba T, Tamaki S, Komuro A, Sonomura Y, Kato H, Argüeso P, Kinoshita S, Tsubota K. Alteration of tear mucin 5AC in office workers using visual display terminals: The Osaka Study. *JAMA Ophthalmology* 2014;132:985–92.

47. Norn MS. Semiquantitative interference study of fatty layer of precorneal film. *Acta Ophthalmologica* 1979;57:766–74.
48. Willcox MDP. Is there a role for inflammation in contact lens discomfort? *Eye & Contact Lens: Science & Clinical Practice* 2017;43:5–16.
49. Faber E, Golding TR, Lowe R, Brennan NA. Effect of hydrogel lens wear on tear film stability. *Optometry and Vision Science* 1991;68.
50. Balasubramanian SA, Pye DC, Willcox MDP. Levels of lactoferrin, secretory IgA and serum albumin in the tear film of people with keratoconus. *Experimental Eye Research* 2012;96:132–7.
51. Yüksel Elgin C, İskeleli G, Talaz S, Akyol S. Comparative analysis of tear film levels of inflammatory mediators in contact lens users. *Current Eye Research* 2016;41:441–7.
52. Willcox MDP, Zhao Z, Naduvilath T, Lazon de la Jara P. Cytokine changes in tears and relationship to contact lens discomfort. *Mol Vis* 2015;21:293–305.
53. Ooi EH, Ng EYK, Purslow C, Acharya R. Variations in the corneal surface temperature with contact lens wear. *Proc Inst Mech Eng H* 2007;221:337–49.
54. Purslow C, Wolffsohn JS, Santodomingo-Rubido J. The effect of contact lens wear on dynamic ocular surface temperature. *Contact Lens and Anterior Eye* 2005;28:29–36.
55. Nagahara Y, Koh S, Maeda N, Nishida K, Watanabe H. Prominent decrease of tear meniscus height with contact lens wear and efficacy of eye drop instillation. *Eye & Contact Lens: Science & Clinical Practice* 2015;41:318–22.
56. Chen Q, Wang J, Shen M, Cai C, Li J, Cui L, Qu J, Lu F. Lower volumes of tear menisci in contact lens wearers with dry eye symptoms. *Invest Ophthalmol Vis Sci* 2009;50:3159.
57. Chen Q, Wang J, Shen M, Cui L, Cai C, Li M, Li K, Lu F. Tear menisci and ocular discomfort during daily contact lens wear in symptomatic wearers. *Invest Ophthalmol Vis Sci* 2011;52:2175.
58. Collins M, Seeto R, Campbell L, Ross M. Blinking and corneal sensitivity. *Acta Ophthalmologica* 1989;67:525–31.
59. García-Montero M, Rico-del-Viejo L, Martínez-Alberquilla I, Hernández-Verdejo JL, Lorente-Velázquez A, Madrid-Costa D. Effects of blink rate on tear film optical quality dynamics with different soft contact lenses. *Journal of Ophthalmology* 2019;2019:1–8.
60. Nosch DS, Pult H, Albon J, Purslow C, Murphy PJ. Relationship between corneal sensation, blinking, and tear film quality. *Optometry and Vision Science* 2016;93:471–81.
61. Jansen ME, Begley CG, Himebaugh NH, Port NL. Effect of contact lens wear and a near task on tear film break-up. *Optometry and Vision Science* March 2010:1.
62. Belmonte C, Carmen Acosta M, Gallar J. Neural basis of sensation in intact and injured corneas. *Experimental Eye Research* 2004;78:513–25.
63. Acosta MC, Peral A, Luna C, Pintor J, Belmonte C, Gallar J. Tear secretion induced by selective stimulation of corneal and conjunctival sensory nerve fibers. *Invest Ophthalmol Vis Sci* 2004;45:2333–6.

64. Müller LJ, Marfurt CF, Kruse F, Tervo TMT. Corneal nerves: structure, contents and function. *Experimental Eye Research* 2003;76:521–42.
65. Knyazev GG, Knyazeva GB, Tolochko ZS. Trophic functions of primary sensory neurons: Are they really local? *Neuroscience* 1991;42:555–60.
66. Situ P, Simpson TL, Jones LW, Fonn D. Effects of silicone hydrogel contact lens wear on ocular surface sensitivity to tactile, pneumatic mechanical, and chemical stimulation. *Invest Ophthalmol Vis Sci* 2010;51:6111–7.
67. Stapleton F. Corneal and conjunctival sensitivity to air stimuli. *British Journal of Ophthalmology* 2004;88:1547–51.
68. Chen J, Simpson TL. A role of corneal mechanical adaptation in contact lens–related dry eye symptoms. *Invest Ophthalmol Vis Sci* 2011;52:1200–5.
69. Martín-Montañez V. End-of-day dryness, corneal sensitivity and blink rate in contact lens wearers. *Contact Lens and Anterior Eye* 2015;38:148–51.
70. Fonn D, Peterson R, Woods C. Corneal staining as a response to contact lens wear: *Eye & Contact Lens: Science & Clinical Practice* 2010;36:318–21.
71. Papas EB, Vajdic CM, Austen R, Holden BA. High-oxygen-transmissibility soft contact lenses do not induce limbal hyperaemia. *Current Eye Research* 1997;16:942–8.
72. Fonn D, Macdonald KE, Richter D, Pritchard N. The ocular response to extended wear of a high Dk silicone hydrogel contact lens. *Clinical and Experimental Optometry* 2002;85:176–82.
73. Pult H, Purslow C, Murphy PJ. The relationship between clinical signs and dry eye symptoms. *Eye* 2011;25:502–10.
74. Pult H, Purslow C, Berry M, Murphy PJ. Clinical tests for successful contact lens wear: relationship and predictive potential: *Optometry and Vision Science* 2008;85:E924–9.
75. Siddireddy JS, Tan J, Vijay AK, Willcox M. Predictive potential of eyelids and tear film in determining symptoms in contact lens wearers. *Optom Vis Sci* 2018;95:1035–45.
76. Berry M, Pult H, Purslow C, Murphy PJ. Mucins and ocular signs in symptomatic and asymptomatic contact lens wear: *Optometry and Vision Science* 2008;85:E930–8.
77. Korb DR, Herman JP, Greiner JV, Scaffidi RC, Finnemore VM, Exford JM, Blackie CA, Douglass T. Lid wiper epitheliopathy and dry eye symptoms. *Eye & Contact Lens: Science & Clinical Practice* 2005;31:2–8.
78. Shiraishi A, Yamaguchi M, Ohashi Y. Prevalence of upper- and lower-lid-wiper epitheliopathy in contact lens wearers and non-wearers: *Eye & Contact Lens: Science & Clinical Practice* 2014;40:220–4.
79. Efron N, Brennan NA, Morgan PB, Wilson T. Lid wiper epitheliopathy. *Progress in Retinal and Eye Research* 2016;53:140–74.
80. Morgan PB, Murphy PJ, Gifford KL, Gifford P, Golebiowski B, Johnson L, Makrynioti D, Moezzi AM, Moody K, Navascues-Cornago M, Schweizer H, Swiderska K, Young G, Willcox M. CLEAR - Effect of contact lens materials and designs on the anatomy and physiology of the eye. *Contact Lens and Anterior Eye* 2021;44:192–219.

81. Osae EA, Jones L, Nichols JJ. The impact of contact lenses on meibomian gland morphology. *The Ocular Surface* 2022;24:148–55.
82. Siddireddy JS, Vijay AK, Tan J, Willcox M. The eyelids and tear film in contact lens discomfort. *Contact Lens and Anterior Eye* 2018;41:144–53.
83. Arita R, Itoh K, Maeda S, Maeda K, Tomidokoro A, Amano S. Association of contact lens-related allergic conjunctivitis with changes in the morphology of meibomian glands. *Jpn J Ophthalmol* 2012;56:14–9.
84. Pucker AD, Jones-Jordan LA, Kunnen CME, Marx S, Powell DR, Kwan JT, Srinivasan S, Sickenberger W, Jones L. Impact of meibomian gland width on successful contact lens use. *Contact Lens and Anterior Eye* 2019;42:646–51.
85. Stapleton F, Bakkar M, Carnt N, Chalmers R, Vijay AK, Marasini S, Ng A, Tan J, Wagner H, Woods C, Wolffsohn JS. BCLA CLEAR - Contact lens complications. *Contact Lens and Anterior Eye* 2021;44:330–67.
86. Alghamdi WM, Markoulli M, Holden BA, Papas EB. Impact of duration of contact lens wear on the structure and function of the meibomian glands. *Ophthalmic Physiol Opt* 2016;36:120–31.
87. Epstein SP, Ahdoot M, Koonapareddy C, Yee K, Marcus E, Asbell PA. Toxicity of ocular preservatives and buffering agents on the ocular surface (corneal and conjunctival epithelium). *Investigative Ophthalmology & Visual Science* 2006;47:4961–4961.
88. Sterner O, Aeschlimann R, Zürcher S, Osborn Lorenz K, Kakkassery J, Spencer ND, Tosatti SGP. Friction Measurements on Contact Lenses in a Physiologically Relevant Environment: Effect of Testing Conditions on Friction. *Invest Ophthalmol Vis Sci* 2016;57:5383.
89. Michaud L, Forcier P. Comparing two different daily disposable lenses for improving discomfort related to contact lens wear. *Contact Lens and Anterior Eye* 2016;39:203–9.
90. Dougherty JM, McCulley JP. Bacterial lipases and chronic blepharitis. *Investigative Ophthalmology & Visual Science* 1986;27:486–91.
91. Kim AD, Muntz A, Lee J, Wang MTM, Craig JP. Therapeutic benefits of blinking exercises in dry eye disease. *Contact Lens and Anterior Eye* 2021;44:101329.
92. Nosch DS, Foppa C, Tóth M, Joos RE. Blink animation software to improve blinking and dry eye symptoms. *Optometry and Vision Science* 2015;92:e310–5.

